

- Seinhorst, J.W.(1960). Plant-nematode inter-relationships. *Annual Review Microbiology*, 15: 177-196.
- Seinhorst, J.W., Ouden, H. den (1962). Onderzoek over de biologie van *Heterodera rostochiensis*. *Werkgroep Onderzoek Bestrijding Aardappelcystenaaltje (WOBA)*, 1950-1960 Resultaten van tien jaar onderzoek, Nationale raad voor Landbouwkundig onderzoek T.N.O.: 11-15.
- Ouden, H. den, Seinhorst, J.W. (1964). De invloed van enkele systemische nematiciden op de vermeerdering van *Heterodera rostochiensis* op aardappel en van *Tylenchorhynchus dubius* op stoppelknollen. *Mededelingen van de Landbouwhogeschool en de Opzoekingsstations van de Staat te Gent*, 29: 810-817.
- Seinhorst, J.W. (1964). Methods for the extraction of *Heterodera* cysts from not previously dried soil samples. *Nematologica*, 10: 87-94.
- Seinhorst, J.W. (1965). The relation between nematode density and damage to plants. *Nematologica*, 11: 137-154.
- Seinhorst, J.W. (1966). The relationships between population increase and population density in plant parasitic nematodes I. Introduction and migratory nematodes. *Nematologica*, 12: 157-169.
- Seinhorst, J. W. (1967). The relationships between population increase and population density in plant parasitic nematodes. II. Sedentary nematodes. *Nematologica*, 13: 157-171.
- Seinhorst, J. W. (1967). The relationships between population increase and population density in plant parasitic nematodes III. Definition of the terms host, host status and resistance. IV. The influence of external conditions on the regulation of population density. *Nematologica*, 13: 429-442.
- Seinhorst, J.W. (1967). The relationships between population increase and population density in plant parasitic nematodes V. Influence of damage to the host on multiplication. *Nematologica*, 13: 481-492.
- Seinhorst, J.W. (1967). Review of methods for measuring damage caused by nematodes. *FAO Symposium on crop losses*, 2-6 okt.'67, Rome.
- Seinhorst, J.W. (1968). Mortality of plant parasitic nematodes shortly after removal of the host plant. *C.R. VIII Symposium International Nematology*, Antibes, 1965: 41-42.
- Seinhorst, J.W. (1968). Population dynamics, its relation to ecology and its importance for research on the economic importance and control of plant parasitic nematodes. *C.R. VIII*

- Symposium International Nematology*, Antibes, 1965: 58-63.
- Seinhorst, J.W. (1968). Underpopulation in plant parasitic nematodes. *Nematologica*, 14: 549-553.
- Seinhorst, J.W. (1970). Dynamics of populations of plant parasitic nematodes. *Annual review of Phytopathology*, 8: 131-156.
- Seinhorst, J.W., Ouden, H. den, Klinkenberg, C.H. (1970). The growth reducing effects of *Heterodera rostochiensis* on the potato plant. *Zeszyty Problemowe Postepow Nauk Rolniczych*, 92.
- Seinhorst, J.W., Ouden, H. den (1971). The relation between density of *Heterodera rostochiensis* and growth and yield of two potato varieties. *Nematologica*, 17: 347-369.
- Seinhorst, J.W. (1973). Dosage of nematicidal fumigants and mortality of nematodes. *Netherlands Journal Plant Pathology*, 79: 180-188.
- Seinhorst, J.W. (1973). Principles and possibilities of determining degrees of nematode control leading to maximum returns. I. Protection of one crop sown or planted soon after treatment. *Nematologica Mediterranea*, I(2): 93-105.
- Seinhorst, J.W. (1973). The combined effects of dichloropropane-dichloropropene mixture injected into the soil and of dazomet applied to the soil surface. *Netherlands Journal Plant Pathology*, 79: 194-206.
- Seinhorst, J.W. (1973). The relationship between yield and the square root of nematode density. *Nematologica*, 18: 585-590.
- Seinhorst, J.W. (1974). The relation between nematode distribution in a field and loss in yield at different average nematode densities. *Nematologica*, 19: 421-427.
- Seinhorst, J.W. (1979) Nematodes and growth of plants: formalization of the nematode-plant system. *Root-knot nematodes (Melodogyne Species) Systematics, Biology and Control* (eds. F. Lamberti & C.E. Taylor) : 231-256.
- Seinhorst, J.W., Ouden, H. den (1980). The effect of different dosages of aldicarb on the multiplication at small population densities of *Globodera rostochiensis* on potato in rotavated and non-rotavated plots. *Netherlands Journal Plant Pathology*, 86: 147-158.
- Seinhorst, J.W. (1981). Achtergronden van aaltjesbestrijding (I). *Bedrijfsontwikkeling*, 12: 491-500.
- Seinhorst, J.W. (1981). Achtergronden van aaltjesbestrijding (2). Voorkomen van opbrengstvermindering door aaltjesaantasting. *Bedrijfsontwikkeling*, 12: 733-740.

- Seinhorst, J.W. (1981). Methods of generating different pest/yield relationships (Nematodes). *Crop Loss Assessment Methods*, (supplement No. 3): 85-89.
- Seinhorst, J.W. (1981). Water consumption of plants attacked by nematodes and mechanisms of growth reduction. *Nematologica*, 27: 34-51.
- Seinhorst, J.W. (1982). Achtergronden van aaltjesbestrijding (3). Economische aspecten van vruchtwisseling en chemische bestrijding. *Bedrijfsontwikkeling*, 13: 494-500.
- Seinhorst, J.W. (1982). Comparison of multiplication rates of different pathotypes of potato cyst-nematodes on susceptible and resistant potatoes growing in daylight or in darkness. *Nematologica*, 28: 170.
- Seinhorst, J.W. (1982). The distribution of cysts of *Globodera rostochiensis* in small plots and the resulting sampling errors. *Nematologica*, 28: 285-297.
- Seinhorst, J.W. (1982). The economics of nematode control by crop rotation and chemical, soil and plant treatment. *Nematologica*, 28: 170-171.
- Seinhorst, J.W. (1982). The relationship in field experiments between population density of *Globodera rostochiensis* before planting potatoes and yield of potato tubers. *Nematologica*, 28: 277-284.
- Seinhorst, J.W. (1984). Relation between population density of potato cyst nematode and measured degrees of susceptibility (resistance) of resistant potato cultivars and between this density and cyst content in the new generation. *Nematologica*, 30: 66-76.
- Seinhorst, J.W., Oostrom, A. (1984). Comparison of multiplication rates of three pathotypes of potato cyst nematodes on various susceptible and resistant potato cultivars. *Mededelingen van de Landbouwhogeschool en de Opzoekingsstations van de Staat te Gent*, 49 (2b): 605-611.
- Seinhorst, J.W. (1986). Agronomic aspects of potato cyst nematode infestation. *Cyst Nematodes*, eds. Lamberti, F., Taylor, C.E., NATO ASI Series. series A: Life Sciences Vol. 121: 211-227.
- Seinhorst, J.W. (1986). Effects of nematode attack on the growth and yield of crop plants. *Cyst Nematodes*, eds. Lamberti, F., Taylor, C.E., NATO ASI Series, series A: Life Sciences Vol. 121: 191-209.
- Seinhorst, J.W. (1986). The development of individuals and populations of cyst nematodes on plants. *Cyst Nematodes*, eds. Lamberti, F., Taylor, C.E., NATO ASI Series, Series A: Life Sciences Vol. 121: 101-117.

- Seinhorst, J.W. (1986). Measuring field populations of cyst nematodes. *Cyst Nematodes*, eds. Lamberti, F., Taylor, C.E., NATO ASI Series, Series A: Life Sciences Vol. 121: 399-411.
- Seinhorst, J.W. (1988). The estimation of densities of nematode populations in soil and plants. *Vaxtskyddsrapporter*, jordbruk 51.
- Seinhorst, J.W., Oostrom, A. (1989). Reproduction of a mixture of pathotypes Rol of *Globodera rostochiensis* and Pa 3 of *G. pallida* and its offspring on cultivars Cardinal and Irene, *Nematologica*, 35: 469-474.
- Seinhorst, J.W. (1992). The relation between rate of reproduction and average number of eggs per cyst in *Globodera rostochiensis* and *G. pallida*. *Nematologica*, 38: 335-352.
- Seinhorst, J.W. (1993). The regulation of numbers of cysts and eggs per cyst produced by *Globodera rostochiensis* and *G. pallida* on potato roots at different initial egg densities. *Nematologica*, 39: 104-114.
- Seinhorst, J.W., Been, T.H., Schomaker, C.H. (1993). Partiele resistentie in de bestrijding van aardappelcysteaaltjes (*Globodera* spp.) 1. Bepaling van de graad van resistentie. *Gewasbescherming*, 24 (1): 3-11.
- Schomaker, C.H., Been, T.H., Seinhorst, J.W. (1994). Partiele resistentie in de bestrijding van aardappelcysteaaltjes 2. Toepassing van partiele resistentie. *Gewasbescherming*, 25 (4): 121-131.
- Seinhorst, J.W. (1994). The regulation of numbers of cysts and eggs per cysts produced by *Globodera rostochiensis* and *G. pallida* on potato roots at different initial egg densities: correction and supplementary information. *Nematologica*, 40: 312.
- Seinhorst, J.W. (1995). The reduction of the growth and weight of plants by a second and later generations of nematodes. *Nematologica*, 41: 592-602.
- Seinhorst, J.W. (1995). Selection by resistant potato cultivars in populations of *Globodera rostochiensis*, pathotypes Ro 1 and Ro 3. *Nematologica*, 41: 67-79.
- Schomaker, C.H., Been, T.H., Seinhorst, J.W. (1995). A growth model for plants attacked by nematodes. *Potato Ecology and Modelling of Crops under Conditions Limiting Growth*: 197-214.
- Schomaker, C.H., Been, T.H., Seinhorst, J.W. (1995). An advisory system for the management of potato cyst nematodes (*Globodera* spp). *Potato Ecology and Modelling of Crops under Conditions Limiting Growth*: 305-322.

- Seinhorst, J.W., Oostrom, A., Been, T.H., Schomaker, C.H. (1995). Relative susceptibilities of eleven potato cultivars and breeders' clones to *Globodera pallida* pathotype Pa 3, with a discussion of the interpretation of data from pot experiments. *European Journal of Plant Pathology*, 101: 457-465.
- Seinhorst, J.W. (1996). Effect of early planting on the tolerance of potato cv. Ehdud to attack by *Globodera rostochiensis* pathotype Ro 1 and *G. pallida* pathotype Pa 3. *Nematologia Mediterranea*, 24: 301-306.
- Seinhorst, J.W. (1998). The common relation between population density and plant weight in pot and micro plot experiments with various nematode plant combinations. *Fundamental and Applied Nematology*.
- Seinhorst, J.W. (1998). The variability of
- Huijsman, C.A., C.H. Klinkenberg en H. den Ouden (1969). Tolerance to *Heterodera rostochiensis* Woll. Among potato varieties and its relation to certain characteristics of root anatomy.
- Ouden, H.den (1960). Periodicity in spontaneous hatching of *Heterodera rostochiensis* in soil. *Nematologica*, (Suppl.) II: 101-105.
- Ouden, H.den (1963). A comparison between the use of free and encysted eggs in hatching and pot experiments with *Heterodera rostochiensis*. *Nematologica*, 9: 225-230.
- Ouden, H.den (1963). Hatching and rate of multiplication of *Heterodera rostochiensis* populations of different ages. *Nematologica*, 9: 231-236.
- Ouden, H. den, Kaai, C. (1963). Bestrijding van *Heterodera rostochiensis* en *Ditylenchus dipsaci* met 0,0 diethyl 0-2 pyrazinylfosforothioaat en VB 744. *Mededelingen van de Landbouwhogeschool en de Opzoekingsstations van de Staat te Gent*, 28(3): 638-648.
- Ouden, H. den, Seinhorst, J.W. (1964). De invloed van enkele systemische nematiciden op de vermeerdering van *Heterodera rostochiensis* op aardappel en van *Tylenchorhynchus dubius* op stoppelknollen. *Mededelingen van de Landbouwhogeschool en de Opzoekingsstations van de Staat te Gent*, 29: 810-817.
- Ouden, H.den (1967). The influence of volunteer potato plants in oats on the population density of *Heterodera rostochiensis*. *Nematologica*, 13: 325-335.
- Ouden, H.den (1968). Bestrijding van het aardappelcystenaaltje met de systemische nematiciden Temik (2-methyl-2-(methylthio) propionaldehyde o-(methylcarbamoyle) oxim) en lannate ((methyl o-(methylcarbamoyle) thioacetohydroxamate)). *Mededelingen*

- van de Landbouwhogeschool en de Opzoekingsstations van de Staat te Gent*, 33: 719-728
- Huijsman, C.A., C.H. Klinkenberg en H. den Ouden (1969). Tolerance to *Heterodera rostochiensis* Woll. among potato varieties and its relation to certain characteristics of root anatomy. *Eur. Potato J.* 12:134-147.
- Ouden, H.den (1971) . De ontwikkeling van *Heterodera rostochiensis* larven in aardappelwortels bij behandeling met systemische nematiciden in het bijzonder Aldicarb. *Mededelingen van de Landbouwhogeschool en de Opzoekingsstations van de Staat te Gent*, 36: 889-903.
- Ouden, H.den (1974). The multiplication of three pathotypes of the potato root eelworm on different potato varieties. *Netherlands Journal of Plant Pathology*, 80: 1-6.
- Ouden, H.den , Veer, R.F. vande (1977). The effect of some systemic nematicides on the control of *Heterodera rostochiensis* in the field. *Netherlands Journal of Plant Pathology*, 83: 129-137